

BACnet Protocol Implementation Conformance Statement

Date: September 2, 2015

Vendor Name: Delta Controls Inc.

Product Name: enteliZONE

Product Model Numbers: eZFCP-424R4-24, eZP-440R4-230, eZVP-440

Product Version: 3.40-eZ2.1

BACnet Protocol Revision: 12

Product Description

enteliZONE is a family of Delta controllers for HVAC zone applications. While there are multiple models in the enteliZONE family they can be grouped into categories that share the same BACnet features differing only in the amount and type of I/O between model options in each group. This PICs statement is for enteliZONE programmable MS/TP model options.

Unless otherwise noted all models support all the BACnet capabilities indicated.

BACnet Standardized Device Profile (Annex L)

BACnet Application Specific Controller (B-ASC)

BACnet Interoperability Building Blocks (Annex K)

| Data Sharing | DS-RP-A | Data Sharing-ReadProperty-A |
|-------------------------------|--------------|-------------------------------------------|
| | DS-RP-B | Data Sharing-ReadProperty-B |
| | DS-RPM-B | Data Sharing- ReadPropertyMultiple-B |
| | DS-WP-A | Data Sharing-WriteProperty-A |
| | DS-WP-B | Data Sharing-WriteProperty-B |
| | DS-COV-B | Data Sharing-COV-B |
| | DS- COVU-B | Data Sharing-COV-Unsolicited-B |
| | | |
| Alarm and Event Management | AE-N-I-B | Alarm and Event-Notification Internal-B |
| | AE-INFO-B | Alarm and Event-Information-B |
| | | |
| Scheduling | SCHED-WS-I-B | Scheduling-Weekly Schedule- Internal-B |
| | | |
| Trending | T-VMT-I-B | Trending-Viewing and Modifying |



| Device and Network Management | DM-DDB-A | Device Management-Dynamic Device Binding-A | | |
|----------------------------------|----------|-----------------------------------------------------|--|--|
| | DM-DDB-B | Device Management-Dynamic Device Binding-B | | |
| | DM-DOB-B | Device Management-Dynamic Object Binding-B | | |
| | DM-DCC-B | Device Management- DeviceCommunicationControl-B | | |
| | DM-PT-A | Device Management-Private Transfer-A | | |
| | DM-PT-B | Device Management-Private Transfer-B | | |
| | DM-TS-B | Device Management- TimeSynchronization-B | | |
| | DM-RD-B | Device Management- ReinitializeDevice-B | | |
| | DM-BR-B | Device Management-Backup and Restore-B | | |
| | DM-OCD-B | Device Management-Object Creation and Deletion-B | | |

Segmentation Capability

☑ Able to transmit segmented message Window Size = 1

☑ Able to receive segmented message Window Size = 1

Standard Object Types Supported

The following table lists the standard object types supported with a list of optional and writeable properties for each object type. Objects that can be dynamically created or deleted using the createobject and delete object services are indicated with Create and Delete Checkboxes below the object type name.

Standard Properties Summary

| Object Type (& Create/Delete Support) | Property Identifier | Writable C- Conditional | Optional | Property Range Restriction |
|---------------------------------------------|---------------------|-------------------------------|-----------|-------------------------------|
| Analog Input Object | Acked_Transitions | | \square | |
| | COV_Increment | $\overline{\checkmark}$ | \square | |
| ☑ Create | Deadband | $\overline{\checkmark}$ | | |
| ☑ Delete | Description | $\overline{\checkmark}$ | | 0-64 characters |
| | Device_Type | | | |
| | Event_Time_Stamps | | | |
| | High_Limit | $\overline{\checkmark}$ | | |
| | Low_Limit | $\overline{\checkmark}$ | | |
| | Max_Pres_Value | | | |
| | Min_Pres_Value | | | |
| | Notification_Class | $\overline{\checkmark}$ | | |
| | Notify_Type | | | |
| | Object_Name | $\overline{\checkmark}$ | | 1-36 characters |
| | Out_Of_Service | $\overline{\checkmark}$ | | |



| Object Type | Property Identifier | Writable | Optional | Property Range |
|---------------------------|-----------------------|-------------------------|-------------------------|-----------------------------------------|
| (& Create/Delete Support) | | C- Conditional | • | Restriction |
| | Present_Value | ⊠C | | |
| | Reliability | ⊠C | | |
| | Resolution | | | |
| | Time_Delay | | | |
| Analog Output Object | Acked_Transitions | | Ø | |
| | COV_Increment | | | |
| ☑ Create | Deadband | | | |
| ☑ Delete | Description | | | 0-64 characters |
| | Device_Type | | | |
| | Event_Time_Stamps | | | |
| | High_Limit | | | |
| | Low_Limit | | | |
| | Max_Pres_Value | | | |
| | Min_Pres_Value | | \checkmark | |
| | Notification_Class | \checkmark | | |
| | Notify_Type | | | |
| | Object_Name | | | 1-36 characters |
| | Out_Of_Service | | | |
| | Present_Value | | | |
| | Reliability | ⊠C | | |
| | Relinquish_Default | <u> </u> | | |
| | Resolution | _ | <u> </u> | |
| | Time_Delay | _ ☑ | | |
| Analog Value Object | COV_Increment | Ø | Ø | |
| | Description | | | 0-64 characters |
| ☑ Create | Object_Name | \square | | 1-36 characters |
| ☑ Delete | Out_Of_Service | \square | | |
| | Present_Value | ⊠C | | |
| | Reliability | ⊠C | $\overline{\checkmark}$ | |
| | Units | $\overline{\checkmark}$ | | |
| Binary Input Object | Acked_Transitions | | Ø | |
| | Active_Text | | | |
| ☑ Create | Alarm_Value | | | |
| ☑ Delete | Change_Of_State_Count | | | Accepts writes of value of zero only |
| | Change_Of_State_Time | | | |
| | Description | \square | | 0-64 characters |
| | Device_Type | | \square | |
| | Event_Time_Stamps | | \square | |
| | Inactive_Text | | \square | |
| | Notification_Class | | | |



| Object Type | Property Identifier | Writable | Optional | Property Range |
|---------------------------|---------------------------|----------------------|---------------|-----------------------------------------|
| (& Create/Delete Support) | | C- Conditional | | Restriction |
| | Notify_Type | | V | |
| | Object_Name | | | 1-36 characters |
| | Out_Of_Service | | | |
| | Present_Value | ⊠C | | |
| | Polarity | | | |
| | Reliability | ⊠C | \square | |
| | Time_Delay | \square | | |
| | Time_Of_State_Count_Reset | | | |
| Binary Output Object | Acked_Transitions | | 4 | |
| | Active_Text | | \square | |
| ☑ Create | Change_Of_State_Count | | | Accepts writes of value of zero only |
| ☑ Delete | Change_Of_State_Time | | | |
| | Description | | | 0-64 characters |
| | Device_Type | | | |
| | Event_Time_Stamps | | \square | |
| | Feedback_Value | ⊠C | | |
| | Inactive_Text | | \square | |
| | Minimum_Off_Time | | | |
| | Minimum_On_Time | | \square | |
| | Notification_Class | | | |
| | Notify_Type | | | |
| | Object_Name | $\overline{\square}$ | | 1-36 characters |
| | Out_Of_Service | $\overline{\square}$ | | |
| | Present_Value | <u> </u> | | |
| | Polarity | <u> </u> | | |
| | Reliability | ⊠C | <u>□</u> | |
| | Relinquish_Default | ☑ | | |
| | Time_Delay | ☑ | | |
| | Time_Of_State_Count_Reset | | \square | |
| Binary Value Object | Active_Text | | ☑ | |
| - | Description | | | 0-64 characters |
| ☑ Create | Inactive_Text | | _ ☑ | |
| ☑ Delete | Object_Name | <u> </u> | | 1-36 characters |
| | Out_Of_Service | <u> </u> | | |
| | Present_Value | ⊠C | | |
| Device Object | APDU_Segment_Timeout | | | |
| | Backup_Failure_Timeout | ☑ | ☑ | |
| | Configuration_Files | | ☑ | |
| | Description | \square | ☑ | 0-64 characters |
| | Last_Restore_Time | | \square | 2 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 |
| | Local_Date | | ☑ | |
| | | | | |



| Object Type (& Create/Delete | Property Identifier | Writable C- | Optional | Property Range Restriction |
|---------------------------------|--------------------------------|----------------------|----------------------|-------------------------------|
| Support) | | Conditional | | |
| | Local_Time | | | |
| | Location | | | |
| | Max_Info_Frames | | | |
| | Max_Master | | | |
| | Max_Segments_Accepted | | \square | |
| | Number_Of_APDU_Retries | | | |
| | Object_Name | \square | | 1-36 characters |
| Event Enrollment Object | Description | Ø | Ø | 0-64 characters |
| | Event_Parameters | | | |
| | Notification_Class | | | |
| | Object_Name | | | 1-36 characters |
| | Object_Property_Reference | | | |
| File Object | Archive | | | |
| | Description | | \square | 0-64 characters |
| | Object_Name | | | 1-36 characters |
| Loop Object | Action | | | |
| | Bias | \square | \square | Range is 0.0 to 100.0 |
| | Controlled_Variable_Reference | | | |
| | Controlled_Variable_Units | | | |
| | Controlled_Variable_Value | | | |
| | COV_Increment | | | |
| | Derivative_Constant | | \square | |
| | Derivative_Constant_Units | | abla | |
| | Description | $\overline{\square}$ | $\overline{\square}$ | 0-64 characters |
| | Integral_Constant | $\overline{\square}$ | $\overline{\square}$ | |
| | Integral_Constant_Units | ☑ | \square | |
| | Manipulated_Variable_Reference | | | |
| | Object_Name | ☑ | | 1-36 characters |
| | Out_Of_Service | ☑ | | . oo onaraotoro |
| | Output_Units | ☑ | | |
| | Present_Value | ⊠C | | |
| | Priority_For_Writing | | | |
| | | | | |
| | Proportional_Constant | ☑ | ☑ | |
| | Proportional _Constant_Units | ☑ | ☑ | |
| | Reliability | ⊠C | ☑ | |
| | Setpoint Paramas | $\overline{\square}$ | | |
| Multi-State | Setpoint _ Reference | <u>√</u> | | 0 64 abarastara |
| Multi-State Value Object | Description Object Name | | | 0-64 characters |
| 7 0 | Object_Name | ☑ | | 1-36 characters |
| ☑ Create | Out_Of_Service | | | |



| Object Type (& Create/Delete Support) | Property Identifier | Writable C- Conditional | Optional | Property Range Restriction |
|---------------------------------------------|------------------------------------|-------------------------------|-----------|------------------------------------------------|
| ☑ Delete | Present_Value | ₫C | | |
| | State_Text | | Ø | |
| Notification Class Object | Description | ☑ | Ø | 0-64 characters |
| | Object_Name | \square | | 1-36 characters |
| ☑ Create | Priority | \square | | |
| ☑ Delete | Recipient_List | \square | | |
| Program Object | Description | | V | 0-64 characters |
| | Description_Of_Halt | | | |
| | Reason_For_Halt | | | |
| | Object_Name | \square | | 1-36 characters |
| | Out_Of_Service | \square | | |
| | Program_Change | \square | | |
| | Reason_For_Halt | | \square | |
| Schedule Object | Description | \square | | 0-64 characters |
| | Effective_Period | V | | endDate must be later than the startDate |
| | List_Of_Object_Property_References | | | |
| | Object_Name | | | 1-36 characters |
| | Out_Of_Service | | | |
| | Priority_For_Writing | | | |
| | Schedule_Default | $\overline{\checkmark}$ | | |
| | Weekly_Schedule | | | |
| Trend Log Object | Description | Ø | Ø | 0-64 characters |
| | Log_DeviceObjectProperty | | \square | |
| | Log_Enable | | | |
| | Log_Interval | | \square | |
| | Object_Name | | | 1-36 characters |
| | Record_Count | | | |
| | Start_Time | | | |
| | Stop_Time | | | |
| | Stop_When_Full | | | |

Proprietary Properties Summary

Proprietary properties are supported.

Data Link Layer Options

☑ MS/TP master (Clause 9), baud rate(s): 9600, 19200, 38400, 76800

Device Address Binding

Is static device binding supported? \square Yes \square No



Networking Options ☐ Router, Clause 6 ☐ Annex H, BACnet Tunneling Router over IP ☐ BACnet/IP Broadcast Management Device (BBMD) Does the BBMD support registrations by Foreign Devices? ☐ Yes ☑ No ☐ Yes ☑ No Does the BBMD support network address translation? **Character Set Supported** ☑ ISO 10646 (UTF-8) / ANSI X3.4 **Communication Gateway** enteliZONE is not a communications gateway. **Network Security Options** ☑ Non-secure Device – is capable of operating without BACnet Network Security ☐ Secure Device – is capable of using BACnet Network Security (NS-SD BIBB) ☐ Multiple Application-Specific Keys ☐ Supports encryption (NS-ED BIBB)

☐ Key Server (NS-KS BIBB)