

**Neutrino-GLT****BACnet™ Protocol Implementation Conformance Statement (PICS)**

Date:	2014-06-14
Vendor Name:	Kieback&Peter GmbH & Co. KG
Product Name:	Neutrino-GLT
Product Model Number:	Version 9
Application Software Version:	Neutrino-GLT
Firmware Revision:	12.2
BACnet Protocol Revision:	1.12 (BACnet ANSI/ASHRAE 135-2010 Rev. 12)

**Product Description:**

The Kieback&Peter Neutrino-GLT is a BACnet Advanced Operator Workstation.

**BACnet Standardized Device Profile (Annex L):**

- BACnet Advanced Workstation (B-AWS)
- BACnet Operator Workstation (B-OWS)
- BACnet Operator Display (B-OD)
- BACnet Building Controller (B-BC)
- BACnet Advanced Application Controller (B-AAC)
- BACnet Application Specific Controller (B-ASC)
- BACnet Smart Sensor (B-SS)
- BACnet Smart Actuator (B-SA)

**Content****Page**

BACnet Interoperability Building Blocks (BIBBs) .....	2
Supported Object Types .....	4
Data Link Layer Options: .....	47
Device Address Binding: .....	47
Networking Options: .....	47
Character Sets Supported: .....	47

Änderungen vorbehalten - Contents subject to change - Sous réserve de modifications - Reservado el derecho a modificación - Wijzigingen voorbehouden - Con riserva di modifiche - Innehåll som skall ändras - Změny vyhrazeny - Zmiany zastrzeżone - Возможны изменения - A változtatások jogát fenntartjuk - 保留未经通知而改动的权力

**BACnet Interoperability Building Blocks (BIBBs)**

**Data Sharing BIBBs**

DS-RP-A	Data Sharing-ReadProperty-A
DS-RP-B	Data Sharing-ReadProperty-B
DS-RPM-A	Data Sharing-ReadPropertyMultiple-A
DS-RPM-B	Data Sharing-ReadPropertyMultiple-B
DS-WP-A	Data Sharing-WriteProperty-A
DS-WPM-A	Data Sharing-WritePropertyMultiple-A
DS-COV-A	Data Sharing-COV-A
DS-COVP-A	Data Sharing-COVP-A
DS-V-A	Data Sharing-View-A
DS-AV-A	Data Sharing-Advanced View-A
DS-M-A	Data Sharing-Modify-A
DS-AM-A	Data Sharing-Advanced Modify-A

**Alarm and Event Management BIBBs**

AE-N-A	Alarm and Event-Notification-A
AE-ACK-A	Alarm and Event-ACK-A
AE-ASUM-A	Alarm and Event-Alarm Summary-A
AE-ESUM-A	Alarm and Event-Enrollment Summary-A
AE-INFO-A	Alarm and Event-Information-A
AE-VN-A	Alarm and Event-View Notifications-A
AE-AVN-A	Alarm and Event-Advanced View Notifications-A
AE-VM-A	Alarm and Event-View and Modify-A
AE-AVM-A	Alarm and Event-Advanced View and Modify-A
AE-AS-A	Alarm and Event-Alarm Summary View-A
AE-ELV-A	Alarm and Event-Event Log View-A
AE-ELVM-A	Alarm and Event-Event Log View and Modify-A

**Scheduling BIBBs**

SCHED-AVM-A	Scheduling-Advanced View Modify-A
SCHED-VM-A	Scheduling-View Modify-A
SCHED-WS-A	Scheduling-Weekly Schedule-A

**Trending BIBBs**

T-AMVR-A	Trending-Automated Multiple Value Retrieval-A
T-V-A	Trending-View-A
T-AVM-A	Trending-Advanced View Modify-A
T-ATR-A	Trending-Automated Trend Retrieval-A

**Device and Network Management BIBBs**

DM-DDB-A	Device Management-Dynamic Device Binding-A
DM-DDB-B	Device Management-Dynamic Device Binding-B
DM-DOB-A	Device Management-Dynamic Object Binding-A
DM-DOB-B	Device Management-Dynamic Object Binding-B
DM-DCC-A	Device Management-DeviceCommunicationControl-A
DM-DCC-B	Device Management-DeviceCommunicationControl-B
DM-TS-A	Device Management-TimeSynchronization-A

DM-UTC-A	Device Management-UTC Time Synchronization-A
DM-RD-A	Device Management-Reinitialize Device-A
DM-RD-B	Device Management-Reinitialize Device-B
DM-BR-A	Device Management-Backup and Restore-A
DM-R-A	Device Management-Restart-A
DM-LM-A	Device Management-List Manipulation-A
DM-OCD-A	Device Management-Object Creation and Deletion-A
DM-ANM-A	Device Management-Automatic Network Mapping-A
DM-ADM-A	Device Management-Automatic Device Mapping-A
DM-MTS-A	Device Management-Manual Time Synchronization-A
NM-CE-A	Network Management-Connection Establishment-A

**Segmentation Capability:**

- Segmented requests supported; Window Size: **16**
- Segmented responses supported; Window Size: **16**

---

## Supported Object Types

- Accumulator Object
- Analog Input Object
- Analog Output Object
- Analog Value Object
- Averaging Object
- Binary Input Object
- Binary Output Object
- Binary Value Object
- Calendar Object
- Command Object
- Device Object
- Event Enrollment Object
- Event Log Object
- File Object
- Global Group Object
- Group Object
- Life Safety Point Object
- Life Safety Zone Object
- Loop Object
- Multi-state Input Object
- Multi-state Output Object
- Multi-state Value Object
- Notification Class Object
- Program Object
- Pulse Converter Object
- Schedule Object
- Trend Log Object
- Trend Log Multiple Object
- Load Control Object
- Structured View Object
- Network Security Object
- BitString Value Object
- CharacterString Value Object
- Date Pattern Value Object
- Date Value Object
- DateTime Pattern Value Object
- DateTime Value Object
- Integer Value Object
- Large Analog Value Object
- OctetString Value Object
- Positive Integer Value Object
- Time Pattern Value Object
- Time Value Object

## Accumulator Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Present_Value	x			x	x	
Description		x		x	x	
Device_Type		x		x	x	
Status_Flags	x			x	x	
Event_State	x			x	x	
Reliability		x		x	x	
Out_Of_Service	x			x	x	
Scale	x			x	x	
Units	x			x	x	
Prescale		x		x	x	
Max_Pres_Value	x			x	x	
Value_Change_Time		x		x		
Value_Before_Change		x		x	x	
Value_Set		x		x	x	
Logging_Record		x		x		
Logging_Object		x		x	x	
Pulse_Rate		x		x	x	
High_Limit		x		x	x	
Low_Limit		x		x	x	
Limit_Monitoring_Interval		x		x	x	
Notification_Class		x		x	x	
Time_Delay		x		x	x	
Limit_Enable		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Profile_Name		x		x	x	
Event_Message_Texts		x		x		

Analog Input Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	100 characters
Object_Type	x			x		
Present_Value	x			x	x	
Description		x		x	x	100 characters
Device_Type		x		x	x	
Status_Flags	x			x	x	
Event_State	x			x	x	
Reliability		x		x	x	
Out_Of_Service	x			x	x	
Update_Interval		x		x	x	
Units	x			x	x	
Min_Pres_Value		x		x	x	
Max_Pres_Value		x		x	x	
Resolution		x		x		
COV_Increment		x		x	x	
Time_Delay		x		x	x	
Notification_Class		x		x	x	
High_Limit		x		x	x	
Low_Limit		x		x	x	
Deadband		x		x	x	
Limit_Enable		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Profile_Name		x		x	x	
Event_Message_Texts		x		x		

## Analog Output Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	100 characters
Object_Type	x			x		
Present_Value	x		x	x	x	
Description		x		x	x	100 characters
Device_Type		x		x	x	
Status_Flags	x			x	x	
Event_State	x			x	x	
Reliability		x		x	x	
Out_Of_Service	x			x	x	
Units	x			x	x	
Min_Pres_Value		x		x	x	
Max_Pres_Value		x		x	x	
Resolution		x		x		
Priority_Array	x			x		
Relinquish_Default	x			x	x	
COV_Increment		x		x	x	
Time_Delay		x		x	x	
Notification_Class		x		x	x	
High_Limit		x		x	x	
Low_Limit		x		x	x	
Deadband		x		x	x	
Limit_Enable		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Profile_Name		x		x	x	
Event_Message_Texts		x		x		

Analog Value Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	100 characters
Object_Type	x			x		
Present_Value	x			x	x	
Description		x		x	x	100 characters
Status_Flags	x			x	x	
Event_State	x			x	x	
Reliability		x		x	x	
Out_Of_Service	x			x	x	
Units	x			x	x	
Priority_Array		x		x		
Relinquish_Default		x		x	x	
COV_Increment		x		x	x	
Time_Delay		x		x	x	
Notification_Class		x		x	x	
High_Limit		x		x	x	
Low_Limit		x		x	x	
Deadband		x		x	x	
Limit_Enable		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Profile_Name		x		x	x	
Event_Message_Texts		x		x		



## Averaging Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Minimum_Value	x			x	x	
Minimum_Value_Timestamp		x		x	x	
Average_Value	x			x	x	
Variance_Value	x			x	x	
Maximum_Value	x			x	x	
Maximum_Value_Timestamp		x		x	x	
Description		x		x	x	
Attempted_Samples	x		x	x	x	
Valid_Samples	x			x		
Object_Property_Reference	x			x	x	
Window_Interval	x		x	x	x	
Window_Samples	x		x	x	x	
Profile_Name		x		x	x	

**Binary Input Object**

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	100 characters
Object_Type	x			x		
Present_Value	x			x	x	
Description		x		x	x	100 characters
Device_Type		x		x	x	
Status_Flags	x			x	x	
Event_State	x			x	x	
Reliability		x		x	x	
Out_Of_Service	x			x	x	
Polarity	x			x	x	
Inactive_Text		x		x	x	85 characters
Active_Text		x		x	x	85 characters
Change_Of_State_Time		x		x	x	
Change_Of_State_Count		x		x	x	
Time_Of_State_Count_Reset		x		x	x	
Elapsed_Active_Time		x		x	x	
Time_Of_Active_Time_Reset		x		x	x	
Time_Delay		x		x	x	
Notification_Class		x		x	x	
Alarm_Value		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Profile_Name		x		x	x	
Event_Message_Texts		x		x		

## Binary Output Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	100 characters
Object_Type	x			x		
Present_Value	x		x	x	x	
Description		x		x	x	100 characters
Device_Type		x		x	x	
Status_Flags	x			x	x	
Event_State	x			x	x	
Reliability		x		x	x	
Out_Of_Service	x			x	x	
Polarity	x			x	x	
Inactive_Text		x		x	x	85 characters
Active_Text		x		x	x	85 characters
Change_Of_State_Time		x		x	x	
Change_Of_State_Count		x		x	x	
Time_Of_State_Count_Reset		x		x	x	
Elapsed_Active_Time		x		x	x	
Time_Of_Active_Time_Reset		x		x	x	
Minimum_Off_Time		x		x	x	
Minimum_On_Time		x		x	x	
Priority_Array	x			x		
Relinquish_Default	x			x	x	
Time_Delay		x		x	x	
Notification_Class		x		x	x	
Feedback_Value		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Profile_Name		x		x	x	
Event_Message_Texts		x		x		

Binary Value Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	100 characters
Object_Type	x			x		
Present_Value	x			x	x	
Description		x		x	x	100 characters
Status_Flags	x			x	x	
Event_State	x			x	x	
Reliability		x		x	x	
Out_Of_Service	x			x	x	
Inactive_Text		x		x	x	85 characters
Active_Text		x		x	x	85 characters
Change_Of_State_Time		x		x	x	
Change_Of_State_Count		x		x	x	
Time_Of_State_Count_Reset		x		x	x	
Elapsed_Active_Time		x		x	x	
Time_Of_Active_Time_Reset		x		x	x	
Minimum_Off_Time		x		x	x	
Minimum_On_Time		x		x	x	
Priority_Array		x		x		
Relinquish_Default		x		x	x	
Time_Delay		x		x	x	
Notification_Class		x		x	x	
Alarm_Value		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Profile_Name		x		x	x	
Event_Message_Texts		x		x		

## Calendar Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	100 characters
Object_Type	x			x		
Description		x		x	x	100 characters
Present_Value	x			x	x	
Date_List	x			x	x	
Profile_Name		x		x	x	

**Command Object**

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Present_Value	x		x	x	x	
In_Process	x			x	x	
All_Writes_Successful	x			x	x	
Action		x		x	x	
Action_Text		x		x	x	
Profile_Name		x		x	x	

## PICS

## Neutrino-GLT

## Device Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	100 characters
Object_Type	x			x		
System_Status	x			x	x	
Vendor_Name	x			x	x	
Vendor_Identifier	x			x	x	
Model_Name	x			x	x	
Firmware_Revision	x			x	x	
Application_Software_Version	x			x	x	
Location		x		x	x	
Description		x		x	x	100 characters
Protocol_Version	x			x	x	
Protocol_Revision	x			x	x	
Protocol_Services_Supported	x			x	x	
Protocol_Object_Types_Supported	x			x	x	
Object_List	x			x		
Structured_Object_List		x		x	x	
Max_APDU_Length_Accepted	x			x	x	
Segmentation_Supported	x			x	x	
Max_Segments_Accepted		x		x	x	
VT_Classes_Supported		x		x	x	
Active_VT_Sessions		x		x	x	
Local_Time		x		x	x	
Local_Date		x		x	x	
UTC_Offset		x		x	x	
Daylight_Savings_Status		x		x	x	
APDU_Segment_Timeout		x		x	x	
APDU_Timeout	x			x	x	
Number_Of_APDU_Retries	x			x	x	
List_Of_Session_Keys		x		x	x	
Time_Synchronization_Recipients		x		x	x	
Max_Master		x		x	x	
Max_Info_Frames		x		x	x	
Device_Address_Binding	x			x	x	
Database_Revision	x			x	x	
Configuration_Files		x		x	x	
Last_Restore_Time		x		x	x	
Backup_Failure_Timeout		x		x	x	
Backup_Preparation_Time		x		x	x	
Restore_Preparation_Time		x		x	x	
Restore_Completion_Time		x		x	x	

**Neutrino-GLT**

**PICS**

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Backup_And_Restore_State		X		X	X	
Active_COV_Subscriptions		X		X	X	
Slave_Proxy_Enable		X		X	X	
Manual_Slave_Address_Binding		X		X	X	
Auto_Slave_Discovery		X		X	X	
Slave_Address_Binding		X		X	X	
Last_Restart_Reason		X		X	X	
Time_Of_Device_Restart		X		X	X	
Restart_Notification_Recipients		X		X	X	
UTC_Time_Synchronization_Recipients		X		X	X	
Time_Synchronization_Interval		X		X	X	
Align_Intervals		X		X	X	
Interval_Offset		X		X	X	
Profile_Name		X		X	X	



## Event Enrollment Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Event_Type	x			x		
Notify_Type	x			x	x	
Event_Parameters	x			x	x	
Object_Property_Reference	x			x	x	
Event_State	x			x	x	
Event_Enable	x			x	x	
Acked_Transitions	x			x	x	
Notification_Class	x			x	x	
Event_Time_Stamps	x			x	x	
Profile_Name		x		x	x	
Event_Message_Texts		x		x		

Event Log Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Status_Flags	x			x	x	
Event_State	x			x	x	
Enable	x		x	x	x	
Start_Time		x		x	x	
Stop_Time		x		x	x	
Stop_When_Full	x			x	x	
Buffer_Size	x			x	x	
Log_Buffer	x			x		
Record_Count	x		x	x	x	
Total_Record_Count	x			x	x	
Notification_Threshold		x		x	x	
Records_Since_Notification		x		x	x	
Last_Notify_Record		x		x	x	
Notification_Class		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Profile_Name		x		x	x	
Event_Message_Texts		x		x		

## File Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	100 characters
Object_Type	x			x		
Description		x		x	x	100 characters
File_Type	x			x	x	
File_Size	x			x	x	
Modification_Date	x			x	x	
Archive	x		x	x	x	
Read_Only	x			x	x	
File_Access_Method	x			x	x	
Record_Count		x		x	x	
Profile_Name		x		x	x	

Global Group Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Group_Members	x			x	x	
Group_Member_Names		x		x	x	
Present_Value	x			x		
Status_Flags	x			x	x	
Event_State	x			x	x	
Member_Status_Flags	x			x	x	
Reliability		x		x	x	
Out_Of_Service	x			x	x	
Update_Interval		x		x	x	
Requested_Update_Interval		x		x	x	
COV_Resubscription_Interval		x		x	x	
Client_COV_Increment		x		x	x	
Time_Delay		x		x	x	
Notification_Class		x		x	x	
Event_Enable		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Event_Message_Texts		x		x		
COVU_Period		x		x	x	
COVU_Recipients		x		x	x	
Profile_Name		x		x	x	

**Group Object**

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
List_Of_Group_Members	x			x	x	
Present_Value	x			x		
Profile_Name	x			x	x	

Loop Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	100 characters
Object_Type	x			x		
Present_Value	x			x	x	
Description		x		x	x	100 characters
Status_Flags	x			x	x	
Event_State	x			x	x	
Reliability		x		x	x	
Out_Of_Service	x			x	x	
Update_Interval		x		x	x	
Output_Units	x			x	x	
Manipulated_Variable_Reference	x			x	x	
Controlled_Variable_Reference	x			x	x	
Controlled_Variable_Value	x			x	x	
Controlled_Variable_Units	x			x	x	
Setpoint_Reference	x			x	x	
Setpoint	x			x	x	
Action	x			x	x	
Proportional_Constant		x		x	x	
Proportional_Constant_Units		x		x	x	
Integral_Constant		x		x	x	
Integral_Constant_Units		x		x	x	
Derivative_Constant		x		x	x	
Derivative_Constant_Units		x		x	x	
Bias		x		x	x	
Maximum_Output		x		x	x	
Minimum_Output		x		x	x	
Priority_For_Writing	x			x	x	
COV_Increment		x		x	x	
Time_Delay		x		x	x	
Notification_Class		x		x	x	
Error_Limit		x		x	x	
Deadband		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Profile_Name		x		x	x	
Event_Message_Texts		x		x		

## Multi-state Input Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	100 characters
Object_Type	x			x		
Present_Value	x			x	x	
Description		x		x	x	100 characters
Device_Type		x		x	x	
Status_Flags	x			x	x	
Event_State	x			x	x	
Reliability		x		x	x	
Out_Of_Service	x			x	x	
Number_Of_States	x			x	x	
State_Text		x		x	x	
Time_Delay		x		x	x	
Notification_Class		x		x	x	
Alarm_Values		x		x	x	
Fault_Values		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Profile_Name		x		x	x	
Event_Message_Texts		x		x		

Multi-state Output Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	100 characters
Object_Type	x			x		
Present_Value	x		x	x	x	
Description		x		x	x	100 characters
Device_Type		x		x	x	
Status_Flags	x			x	x	
Event_State	x			x	x	
Reliability		x		x	x	
Out_Of_Service	x			x	x	
Number_Of_States	x			x	x	
State_Text		x		x	x	
Priority_Array	x			x		
Relinquish_Default	x			x	x	
Time_Delay		x		x	x	
Notification_Class		x		x	x	
Feedback_Value		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Profile_Name		x		x	x	
Event_Message_Texts		x		x		



## Multi-state Value Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	100 characters
Object_Type	x			x		
Present_Value	x			x	x	
Description		x		x	x	100 characters
Status_Flags	x			x	x	
Event_State	x			x	x	
Reliability		x		x	x	
Out_Of_Service	x			x	x	
Number_Of_States	x			x	x	
State_Text		x		x	x	
Priority_Array		x		x		
Relinquish_Default		x		x	x	
Time_Delay		x		x	x	
Notification_Class		x		x	x	
Alarm_Values		x		x	x	
Fault_Values		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Profile_Name		x		x	x	
Event_Message_Texts		x		x		

**Notification Class Object**

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	100 characters
Object_Type	x			x		
Description		x		x	x	100 characters
Notification_Class	x			x	x	
Priority	x			x	x	
Ack_Required	x			x	x	
Recipient_List	x			x	x	AddListElement
Profile_Name		x		x	x	

## Program Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Program_State	x			x		
Program_Change	x		x	x	x	
Reason_For_Halt		x		x	x	
Description_Of_Halt		x		x	x	
Program_Location		x		x	x	
Description		x		x	x	
Instance_Of		x		x	x	
Status_Flags	x			x	x	
Reliability		x		x	x	
Out_Of_Service	x			x	x	
Profile_Name		x		x	x	

Pulse Converter Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Present_Value	x			x	x	
Input_Reference		x		x	x	
Status_Flags	x			x	x	
Event_State	x			x	x	
Reliability	x			x	x	
Out_Of_Service	x			x	x	
Units	x			x	x	
Scale_Factor	x		x	x	x	
Adjust_Value	x			x	x	
Count	x			x		
Update_Time	x			x		
Count_Change_Time	x			x		
Count_Before_Change		x		x	x	
COV_Increment		x		x	x	
COV_Period		x		x	x	
Notification_Class		x		x	x	
Time_Delay		x		x	x	
High_Limit		x		x	x	
Low_Limit		x		x	x	
Deadband		x		x	x	
Limit_Enable		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Profile_Name		x		x	x	
Event_Message_Texts		x		x		

## Schedule Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	100 characters
Object_Type	x			x		
Present_Value	x			x	x	
Description		x		x	x	100 characters
Effective_Period	x			x	x	
Weekly_Schedule		x		x	x	
Exception_Schedule		x		x	x	
Schedule_Default	x			x	x	
List_Of_Object_Property_References	x			x	x	
Priority_For_Writing	x			x	x	
Status_Flags	x			x	x	
Reliability	x			x	x	
Out_Of_Service	x			x	x	
Profile_Name		x		x	x	

Trend Log Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	100 characters
Object_Type	x			x		
Description		x		x	x	100 characters
Enable	x		x	x	x	
Start_Time		x		x	x	
Stop_Time		x		x	x	
Log_DeviceObjectProperty		x		x	x	
Log_Interval		x		x	x	
COV_Resubscription_Interval		x		x	x	
Client_COV_Increment		x		x	x	
Stop_When_Full	x			x	x	
Buffer_Size	x			x	x	
Log_Buffer	x			x		
Record_Count	x		x	x	x	
Total_Record_Count	x			x	x	
Notification_Threshold		x		x	x	
Records_Since_Notification		x		x	x	
Last_Notify_Record		x		x	x	
Event_State	x			x	x	
Notification_Class		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Profile_Name		x		x	x	
Logging_Type		x		x	x	
Align_Intervals		x		x	x	
Interval_Offset		x		x	x	
Trigger		x		x	x	
Status_Flags		x		x	x	
Reliability		x		x	x	
Event_Message_Texts		x		x		

## Trend Log Multiple Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Status_Flags	x			x	x	
Event_State	x			x	x	
Reliability	x			x	x	
Enable	x		x	x	x	
Log_DeviceObjectPropertyList	x			x	x	
Logging_Type	x			x	x	
Log_Interval	x		x	x	x	
Align_Intervals		x		x	x	
Interval_Offset		x		x	x	
Stop_When_Full	x			x	x	
Buffer_Size	x			x	x	
Log_Buffer	x			x		
Record_Count	x		x	x	x	
Total_Record_Count	x			x	x	
Notification_Threshold		x		x	x	
Records_Since_Notification		x		x	x	
Last_Notify_Record		x		x	x	
Notification_Class		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Profile_Name		x		x	x	
Start_Time		x	x	x	x	
Stop_Time		x	x	x	x	
Trigger		x		x	x	
Event_Message_Texts		x		x		

Load Control Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Present_Value	x			x	x	
State_Description		x		x	x	
Status_Flags	x			x	x	
Event_State	x			x	x	
Reliability		x		x	x	
Requested_Shed_Level			x	x	x	
Start_Time			x	x	x	
Shed_Duration			x	x	x	
Duty_Window			x	x	x	
Enable			x	x	x	
Full_Duty_Baseline		x		x	x	
Expected_Shed_Level	x			x	x	
Actual_Shed_Level	x			x	x	
Shed_Levels			x	x	x	
Shed_Levels_Descriptions	x			x	x	
Notification_Class		x		x	x	
Time_Delay		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Profile_Name		x		x	x	
Event_Message_Texts		x		x		



## Structured View Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Node_Type	x			x	x	
Node_Subtype		x		x	x	
Subordinate_List	x			x	x	
Subordinate_Annotations		x		x	x	
Profile_Name		x		x	x	

**Network Security Object**

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Base_Device_Security_Policy	x		x	x	x	
Network_Access_Security_Policies	x		x	x	x	
Security_Time_Window	x		x	x	x	
Packet_Reorder_Time	x		x	x	x	
Distribution_Key_Revision	x			x		
Key_Sets	x			x	x	
Last_Key_Server	x		x	x	x	
Security_PDU_Timeout	x		x	x	x	
Update_Key_Set_Timeout	x			x	x	
Supported_Security_Algorithms	x			x		
Do_Not_Hide	x		x	x	x	
Profile_Name		x		x	x	

## BitString Value Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Present_Value	x			x	x	
Bit_Text		x		x	x	
Status_Flags	x			x	x	
Event_State		x		x	x	
Reliability		x		x	x	
Out_Of_Service		x		x	x	
Priority_Array		x		x		
Relinquish_Default		x		x	x	
Time_Delay		x		x	x	
Notification_Class		x		x	x	
Alarm_Values		x		x	x	
Bit_Mask		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Event_Message_Texts		x		x		
Profile_Name		x		x	x	

CharacterString Value Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Present_Value	x			x	x	
Status_Flags	x			x	x	
Event_State		x		x	x	
Reliability		x		x	x	
Out_Of_Service		x		x	x	
Priority_Array		x		x		
Relinquish_Default		x		x	x	
Time_Delay		x		x	x	
Notification_Class		x		x	x	
Alarm_Values		x		x	x	
Fault_Values		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Event_Message_Texts		x		x		
Profile_Name		x		x	x	

## Date Pattern Value Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Present_Value	x			x	x	
Status_Flags	x			x	x	
Event_State		x		x	x	
Reliability		x		x	x	
Out_Of_Service		x		x	x	
Priority_Array		x		x		
Relinquish_Default		x		x	x	
Profile_Name		x		x	x	

**Date Value Object**

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Present_Value	x			x	x	
Status_Flags	x			x	x	
Event_State		x		x	x	
Reliability		x		x	x	
Out_Of_Service		x		x	x	
Priority_Array		x		x		
Relinquish_Default		x		x	x	
Profile_Name		x		x	x	

## DateTime Pattern Value Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Present_Value	x			x	x	
Status_Flags	x			x	x	
Event_State		x		x	x	
Reliability		x		x	x	
Out_Of_Service		x		x	x	
Is_UTC		x		x	x	
Priority_Array		x		x		
Relinquish_Default		x		x	x	
Profile_Name		x		x	x	

**DateTime Value Object**

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Present_Value	x			x	x	
Status_Flags	x			x	x	
Event_State		x		x	x	
Reliability		x		x	x	
Out_Of_Service		x		x	x	
Priority_Array		x		x		
Relinquish_Default		x		x	x	
Is_UTC		x		x	x	
Profile_Name		x		x	x	



## Integer Value Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Present_Value	x			x	x	
Status_Flags	x			x	x	
Event_State		x		x	x	
Reliability		x		x	x	
Out_Of_Service		x		x	x	
Units	x			x	x	
Priority_Array		x		x		
Relinquish_Default		x		x	x	
COV_Increment		x		x	x	
Time_Delay		x		x	x	
Notification_Class		x		x	x	
High_Limit		x		x	x	
Low_Limit		x		x	x	
Deadband		x		x	x	
Limit_Enable		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Event_Message_Texts		x		x		
Profile_Name		x		x	x	

Large Analog Value Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Present_Value	x			x	x	
Status_Flags	x			x	x	
Event_State		x		x	x	
Reliability		x		x	x	
Out_Of_Service		x		x	x	
Units	x			x	x	
Priority_Array		x		x		
Relinquish_Default		x		x	x	
COV_Increment		x		x	x	
Time_Delay		x		x	x	
Notification_Class		x		x	x	
High_Limit		x		x	x	
Low_Limit		x		x	x	
Deadband		x		x	x	
Limit_Enable		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Event_Message_Texts		x		x		
Profile_Name		x		x	x	

## OctetString Value Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Present_Value	x			x	x	
Status_Flags		x		x	x	
Event_State		x		x	x	
Reliability		x		x	x	
Out_Of_Service		x		x	x	
Priority_Array		x		x		
Relinquish_Default		x		x	x	
Profile_Name		x		x	x	

Positive Integer Value Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Present_Value	x			x	x	
Status_Flags	x			x	x	
Event_State		x		x	x	
Reliability		x		x	x	
Out_Of_Service		x		x	x	
Units	x			x	x	
Priority_Array		x		x		
Relinquish_Default		x		x	x	
COV_Increment		x		x	x	
Time_Delay		x		x	x	
Notification_Class		x		x	x	
High_Limit		x		x	x	
Low_Limit		x		x	x	
Deadband		x		x	x	
Limit_Enable		x		x	x	
Event_Enable		x		x	x	
Acked_Transitions		x		x	x	
Notify_Type		x		x	x	
Event_Time_Stamps		x		x	x	
Event_Message_Texts		x		x		
Profile_Name		x		x	x	

## Time Pattern Value Object

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Present_Value	x			x	x	
Status_Flags	x			x	x	
Event_State		x		x	x	
Reliability		x		x	x	
Out_Of_Service		x		x	x	
Priority_Array		x		x		
Relinquish_Default		x		x	x	
Profile_Name		x		x	x	

**Time Value Object**

Property Identifier	BACnet Standard			Neutrino-GLT		
	Required	Optional	Writable	Supported	Writable	Notes
Object_Identifier	x			x		
Object_Name	x			x	x	
Object_Type	x			x		
Description		x		x	x	
Present_Value	x			x	x	
Status_Flags	x			x	x	
Event_State		x		x	x	
Reliability		x		x	x	
Out_Of_Service		x		x	x	
Priority_Array		x		x		
Relinquish_Default		x		x	x	
Profile_Name		x		x	x	

**Data Link Layer Options:**

- BACnet IP, (Annex J)
- BACnet IP, (Annex J), Foreign Device
- ISO 8802-3, Ethernet (Clause 7)
- ASTM 878.1, 2.5 Mb. ARCNET (Clause 8)
- ASTM 878.1, RS-485 ARCNET (Clause 8) baud rate(s) \_\_\_\_\_
- MS/TP master (Clause 9), baud rate(s):
- MS/TP slave (Clause 9), baud rate(s):
- Point-To-Point, EIA 232 (Clause 10), baud rate(s):
- Point-To-Point, modem, (Clause 10), baud rate(s): **max. modem**
- LonTalk, (Clause 11), medium: \_\_\_\_\_
- Other: \_\_\_\_\_

**Device Address Binding:**

- Is static device binding supported? (This is currently necessary for two-way communication with MS/TP slaves and certain other devices.) **Yes**

**Networking Options:**

- Router, Clause 6 - List all routing configurations:
- Annex H, BACnet Tunneling Router over IP
- BACnet Broadcast Management Device (BBMD)
- Does the BBMD support registrations by Foreign Devices? **Yes**

**Character Sets Supported:**

Indicating support for multiple character sets does not imply that they can all be supported simultaneously.

- ANSI X3.4
- IBM/Microsoft DBCS
- ISO 8859-1
- ISO 10646 (UCS-2)
- ISO 10646 (UCS-4)
- JIS C 6226
- ISO 10646 (UTF-8)

If this product is a communication gateway, describe the types of non-BACnet equipment/networks(s) that the gateway supports:

